

## **SMART Tip Sheets**



### **Adolescent Drug Abuse Diagnosis (ADAD)**

#### **Adolescent Drug Abuse Diagnosis (ADAD)**

**Creating Assessment** 

**Completing Assessment** 

**Edit an Assessment** 

This tip sheet focuses on the elements required for adding, completing, and reviewing an Adolescent Drug Abuse Diagnosis (ADAD) assessment.

**Total Pages: 3** 

IGSR Technical Support: 301.405.4870

www.igsr.umd.edu

Updated: March 2012








# Adolescent Drug Abuse Diagnosis (ADAD) Creating Assessment

- Entry Steps: Login, Select Facility, Client List, Search for and Select Client.
- 2. Click **Activity List** within your search results.
- 3. Click **Assessments** on left-hand menu tree.
- 4. Click ADAD.
- When the Adolescent Drug Abuse Diagnosis (ADAD) table screen opens, click <u>Add ADAD Record</u>.



# Adolescent Drug Abuse Diagnosis (ADAD) Completing Assessment

- Complete each screen and then click <u>→</u>.
- 2. **Note**: The Estimation screen is the final screen of the assessment. The Interviewer's severity ratings for each domain populate to this screen.

#### **Editing an Assessment**

3. Once the ADAD is completed it can be accessed by going to the Adolescent Drug Abuse Diagnosis (ADAD) screen and clicking on the **Review** hyperlink.

